

# WA Commercial Building Energy Performance Standards – EUIt Development Workshop

January 30, 2020


Presented at: WA State Dept of Commerce

Prepared by: SBW Consulting Team

#### Agenda:


- Review EUI Target Development Process & Timeline
- Methodology Overview
- Methodology Discussion: Determinants of Energy Consumption
  - ☐ List energy use drivers
  - ☐ Discuss how they are being addressed
- Methodology Discussion: Target Setting
  - □ Criteria
  - ☐ Emissions reductions drivers
  - ☐ Framework
  - □ Newer construction

#### **EUI Target Development Process**



#### **Methodology Overview**

- Gather input
- Estimate means by building type
  - ☐ Decide on building types
  - □ Incorporate regional data
  - ☐ Consider unique buildings and energy uses
- Review normalization factors, adjust as needed
- Establish target setting criteria
- Adjust ASHRAE 100 targets



	How to Account for Variations in Energy Use					
Determinants of Energy Consumption	Normalization Factors	Weighted Average EUIt	Exempt from HB1257	Built in to Mean EUI	New(er) Construction EUIt	
Buildings w/ multiple activities (Mixed Use)		Х				
Small % of floor area driving bldg energy use (servers, labs, restaurants, laundry)		X	*			
Vacancy		X	*	X		
Occupancy Density				X		
Operating Shift	Х			X		
Building Type				X		
Building Size				X		
Standard Loads			*	X		
Unique Loads			*			
Climate/Weather				X		
Campus (master metered, central plant)		x		x		
Industrial/Manufacturing			X			
Vintage					X	
Heating Fuel Type				X		
Onsite Renewables				X		5

#### Request for Input

- Link to Request for Input form
- <u>Link to upload input forms to the Commerce website</u> (Due by 2/14/2020)

#### Request for Public Input on EUI Target Methodology At this point in the methodology development process, the Department of Commerce is seeking early input on normalization factors, unique energy using features, the EUI target setting criteria, the EUI target setting framework, and the approach for newer construction targets. For supporting information, see Slide Deck from the January 30, 2020 EUI Target Methodology Workshop. Please submit input by February 14, 2020. Deadline for Input: Department of Commerce Public Input Link Upload Input to: Date: Name: Title: Organization: $\overline{\phantom{a}}$ Request for Input Area of Input PUBLIC INPUT ASHRAE Standard 100 includes formulas and normalization factors to **Accounting for Variations** help building owners account for a number of key determinants of in Energy Use consumption when calculating building specific EUI targets. For example, building type, climate zone, vacancy ratios, operating hours, mixed use status, etc. (see slide 5 in Jan. 30 slide deck linked above).

### **Determinants of Energy Consumption**


■ What drives energy use in your building?















## **How to Account for Variations in Energy Use**





Brain storm Session



# Methodology Discussion: Target Setting








Develop & Assess Targets Against Criteria





# Target Setting Criteria

- Technical Criteria
- Adaptive Criteria
- Policy Context for GHG Reductions

# Technical Criteria: Input from 12/10/19 Workshop

Equal to or less than means

Maximize GHG reductions

Require early GHG reductions

Targets and/or policy design allow for whole building optimization across fuel types

Structured within a predictable framework for target reductions and market adaptation

Trigger market response and critical mass for capacity building

Encourage Early
Adopters to Go
Further

Market Readiness and Capacity, Especially in Remote Areas

Adaptive Criteria:
Input from 12/10/19
Workshop

Utility Program
Readiness

Technical Path to Reductions

Cost-Effectiveness Backstop Accessible Financing Mechanisms

# Policy Context for GHG Reductions:

Index to statutory requirements?

- End point goals
- Interim targets

Aggregate sector-specific energy and emissions reduction targets?

Flow down from economy-wide targets

Mean EUI reductions required to meet aggregate emission reduction targets?

• Flow down from sector-specific targets

# Ecology Recommendations for Economy-Wide GHG Reductions (HB2311)

#### 1990 levels

or 90.5 million metric tons.

45 percent below 1990 levels

or 50 million metric tons.

70 percent below 1990 levels


or 27 million metric tons.

95 percent below 1990 levels

or 5 million metric tons, and achieve netzero greenhouse gas emissions.

2020 2030 2040 2050

Sample
Target
Setting
Framework:
Existing >
220k SF






# Policy Context for Newer Construction

- RCW <u>19.27A.160</u>
- "...residential and nonresidential construction permitted under the 2031 state energy code must achieve a 70% reduction in annual net energy consumption, using the adopted 2006 Washington state energy code as a baseline."

Sample
Target
Setting
Framework:
Newer >
220k SF



# Newer Construction Targets Analysis

01

Review 2006 Baseline EUIs

- Modeled
- Surveys


02

Determine Vintage Ranges for Targets

- Index to previous codes?
- Index to future codes?

03

**Develop Targets** 



# Evaluating EUI Targets Against Target Criteria

- Technical Criteria
- Adaptive Criteria
- Policy Context for GHG Reductions

#### **EUI Target Development Process**

